




We claim:


1. A compound of the formula Ia:








5 wherein:








R^{2a} is selected from

R^{3a} is selected from $-H$, , , , , ,

5


Chemical structures shown (from top to bottom, left to right):

- 1. 4-methylpiperidine
- 2. N-methyl-4-methylpiperidine
- 3. 4-methyl-1-methylpiperidine
- 4. 4-methyl-1-methyl-4,5-dihydropyridinium chloride
- 5. N-methyl-4-methylpiperidine
- 6. N-methyl-4-methylpiperidine
- 7. 4-methylpiperidine
- 8. 4-methylpiperidine
- 9. 4-methylpiperidine
- 10. 4-methylpiperidine
- 11. 4-methylpiperidine
- 12. 4-methylpiperidine
- 13. 4-methylpiperidine
- 14. 4-methylpiperidine
- 15. 4-methylpiperidine
- 16. 4-methylpiperidine
- 17. 4-methylpiperidine
- 18. 4-methylpiperidine
- 19. 4-methylpiperidine
- 20. 4-methylpiperidine




SUBSTITUTE SHEET (RULE 26)

Replacement Page 596 .




SUBSTITUTE SHEET (RULE 26)


Replacement Page 597



R^{4a} is selected from $-H$ or $-CH_3$;



R^{6a} is selected from $-H$ or $-CH_3$; and



2. A compound as claimed in Claim 1, wherein the compound is:

N-Cycloheptyl-N'-(3-iodo-4-methoxyphenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-methoxy-3-nitrophenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 5-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzonitrile; N-Cycloheptyl-N'-(4-ethoxy-3-fluoro-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-propoxy-phenyl)-N"-methyl-N"-(1-methylpiperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-isopropoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-ethoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-propoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methylpiperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-isopropoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-methoxy-3-trifluoromethyl-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-(1-methylpiperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-benzyl)-N'-cycloheptyl-N"-methyl-N"-(1-methylpiperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(2-(3-fluoro-4-methoxy-phenyl)-ethyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-[2-(3-Chloro-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-trifluoromethyl-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N"-dimethyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-(4-methylcyclohexyl)-[1,3,5]triazine-2,4,6-

triamine; N-Cycloheptyl-N'-cyclohexyl-N''-(3-fluoro-4-methoxy-phenyl)-N', N''-dimethyl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N''-dimethyl-N''-(1-methyl-piperidin-3-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N', N''-dimethyl-N''-piperidin-3-yl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N''-dimethyl-N''-(1-methyl-1,4-dihydro-pyridin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N''-dimethyl-N''-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; 4-{(4-Cycloheptylamino-6-[(3-fluoro-4-methoxy-phenyl)-methyl-amino]-[1,3,5]triazin-2-yl)-methyl-amino)-1-methyl-pyridinium, chloride; Acetic acid 4-{(4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-fluoro-phenyl ester; N-Cycloheptyl-N'-(5-fluoro-6-methoxy-pyridin-3-yl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-fluoro-5-methoxy-pyridin-2-yl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(4-methylpiperazin-1-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-methyl-N''-(1-methyl-piperidin-4-yl)-N''-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-3-fluoro-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methylamino-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-dimethylamino-3-fluoro-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 6-(3-Chloro-4-methylamino-phenoxy)-N-cycloheptyl-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-dimethylamino-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-6-(3-fluoro-4-methoxy-phenoxy)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-dimethyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cyclohept-4-enyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine;

N-Cycloheptyl-N'-(3-fluoro-4-methyl-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-ethyl-3-fluorophenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-cyclohexyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cyclohept-3-enyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N,N''-dimethyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 4-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; Sodium; 4-{4-(1-ethyl-hexylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate; N-Cyclohept-2-enyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 2-Chloro-4-[4-cycloheptylamino-6-(1-methyl-piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-phenol; 4-[4-Cycloheptylamino-6-(1-methyl-piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; N-(3-Chloro-4-methoxy-phenyl)-N'-cyclohept-2-enyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine; N-(3-Bromo-4-methoxy-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 4-[4-Cycloheptylamino-6-(methyl-piperidin-4-yl-amino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 2-Chloro-4-[4-cycloheptylamino-6-(methyl-piperidin-4-yl-amino)-[1,3,5]triazin-2-ylamino]-phenol; Sodium; 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenolate; N-(3-Chloro-4-methoxymethoxy-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid mono-(2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenoxymethyl) ester; Monosodium salt, phosphoric acid mono-(2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazine-2-ylamino)-phenoxymethyl) ester; N-(3-Chloro-4-methylsulfanylmethoxy-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid di-tert-butyl ester 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-

[1,3,5]triazin-2-ylamino}-phenoxy-methyl ester; N-Cycloheptyl-N'-(3-fluoro-4-methoxymethoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid dibenzyl ester 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]}[1,3,5]triazin-2-ylamino}-phenoxy-methyl ester; Phosphoric acid mono-(4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]}[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy-methyl) ester; 2-(2-{2-[2-(2-Chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]}[1, 3, 5]triazin-2-ylamino}-phenoxy)-ethoxy]-ethoxy}-ethoxy)-ethanol; 2-(2-{2-[2-(4-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)amino]}[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy}-ethoxy)-ethanol; 4-{{4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-1-phosphonooxymethyl-piperidinium, chloride; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid mono-(4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]}[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl) ester; Phosphoric acid mono-(4-{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-piperidin-1-ylmethyl) ester; 4-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-1-phosphonooxymethyl-piperidinium, chloride; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; 4-{{4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino}-1-methyl-pyridinium, chloride; 4-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-1,1-di methyl-piperidinium, iodide; N-Allyl-N'-(3-chloro-4-methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-N"-propyl-[1, 3,5]triazine-2,4,6-triamine; N-(3-Fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-N"-propyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(3-methylamino-propyl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-(3-dimethylamino-propyl)-N"-methyl-

- [1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(3-dimethylamino-propyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-dimethylamino-propyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine; 6-Azepan-1-yl-N-(3-chloro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-methoxymethyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-piperidin-1-yl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-piperidin-4-yl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine; 4-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-piperidine-1-carbaldehyde; 4-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1, 3,5]triazine-2,4,6-triamine; N-
- 15 Bicyclo[2.2.2]oct-2-yl-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine; N-Bicyclo[2.2.2]oct-2-yl-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine; N-Bicyclo[2.2.1]hept-2-yl-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-
- 20 [1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptylidene-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl[1,3,5]triazine-2,4,6-triamine; 3-{{[4-
- 25 (3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; 3-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(3-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-
- 30 [1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-N-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-dimethylamino-cyclohexyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-

(4-methoxy-cyclohexyl-N"-methyl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-(4-methoxy-cyclohexyl-N"-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-(4-dimethylamino-cyclohexyl)-[1, 3,5]triazine-2,4,6-triamine; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-cyclohexanethiol; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-(4-methylsulfonyl-cyclohexyl)-[1, 3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-(4-methanesulfonyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-(4-methanesulfonyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-N"-thiepan-4-yl-[1,3,5]triazine-2,4,6-triamine; 6-(Bicyclo[2.2.1]hept-2-yloxy)-N-(3-chloro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-(1,1-dioxo-1 lambda*6*-thiepan-4-yl)-N"-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(1,1-Dioxo-1 lambda*6*-thiepan-4-yl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1, 3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-N"-thiepan-3-yl-[1,3,5]triazine-2,4,6-triamine; 5-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-Cycloheptylamino-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-(3-Chloro-4-hydroxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 6-(Bicyclo[2.2.1]hept-2-yloxy)-N-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; 4-[4-Cycloheptylamino-6-(hydroxymethyl-amino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 5-{{[4-(3-Fluoro-4-methoxy-phenylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; Sodium, 4-[4-cycloheptylamino-6-(pyrrolidine-2-carbonyloxy)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenolate; N-Cycloheptyl-N'-(2,3-dihydro-1H-indol-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;

4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-cyclohexanethiol; 2-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(2-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-

5 [1,3,5]triazine-2,4,6-triamine; N-(2-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)[1,3,5]triazine-2,4,6-triamine; 4-[4-(2-Amino-cyclohexylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-cyclohexanol; N-(3-Fluoro-4-methoxy-phenyl)-N'-(2-methyl-

10 cyclohexyl)-N''-(1-methyl-hexyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(3-methyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(3-methyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; 3-(2-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propionic acid 4-{4-cycloheptylamino-6-[methyl-(1-

15 methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenylester; 3-(2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propionic acid 4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-fluoro-phenyl ester; 3-(2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propionic acid 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-

20 piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenyl ester; 3-(2-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propionic acid 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenylester; 1-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-piperidin-1-yl)-3-(2-{2-[2-(2-hydroxy-


25 ethoxy)-ethoxy]ethoxy)-ethoxy)-propan-1-one; 1-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-piperidin-1-yl)-3-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]ethoxy}-ethoxy)-ethoxy)-propan-1-one; 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl)-3-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]ethoxy}-ethoxy)-ethoxy)-propan-1-

30 one; 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl)-3-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propan-1-one; 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-


- phenylamino)-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy)-ethoxy]-ethyl)-1-methyl-piperidinium, chloride; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy)-ethoxy]-ethyl)-1-methyl-piperidinium, chloride; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy)-ethoxy]-ethyl)-1-methyl-piperidinium, chloride; 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy)-ethoxy]-ethyl)-1-methyl-piperidinium, chloride; 5-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzoic acid; 5-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzoic acid ethyl ester; Sodium, 5-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzoate; 4-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium, chloride; 4-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium, bromide; 4-{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium, bromide; 3-Carboxy-propionate-4-{[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; 3-Carboxy-acrylate-4-{[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; Carboxy-methanecarboxylate-4-{[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]methyl-amino)-1-methyl-piperidinium; Carboxy-methanecarboxylate-4-{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]methyl-amino)-1-methyl-piperidinium; 3-Carboxy-acrylate-4-{[4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; 4-[4-(3-Chloro-4-hydroxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-methyl-piperidinium, chloride; 4-[4-Cycloheptylamino-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-1-methyl-piperidinium, chloride; 4-[4-


Cycloheptylamino-6-[1-(4-methoxy-benzyl)-piperidin-4-ylamino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; 4-[4-Cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 4-[4-Cyclopropylamino-6-(piperidine-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-1-oxy-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-1-oxy-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 4-{4-Cycloheptylamino-6-[methyl-(1-methyl-1-oxy-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; 2-Chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-1-oxy-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-phenol; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methanesulfonyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; or N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-methanesulfonyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine.













3. A composition comprising a compound of the formula Ia:





wherein:












5




5




5






R^{4a} is selected from $-H$ or $-CH_3$;



R^{6a} is selected from $-H$ or $-CH_3$; and



4. The composition as claimed in Claim 3, wherein the compound is selected from:

N-Cycloheptyl-N'-(3-iodo-4-methoxyphenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-methoxy-3-nitro-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 5 {4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzonitrile; N-Cycloheptyl-N'-(4-ethoxy-3-fluoro-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-propoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 10 N-Cycloheptyl-N'-(3-fluoro-4-isopropoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-ethoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-propoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 15 N-(3-Chloro-4-isopropoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-methoxy-3-trifluoromethyl-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 20 N-(3-Chloro-4-methoxy-benzyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-[2-(3-fluoro-4-methoxy-phenyl)-ethyl]-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-[2-(3-Chloro-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 25 N-Cycloheptyl-N'-(3-fluoro-4-trifluoromethyl-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 30 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-benzyl)-N"-methyl-N"-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N"-dimethyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-

- 4-methoxy-phenyl)-N"-methyl-N"-(4-methylcyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-cyclohexyl-N"-(3-fluoro-4-methoxy-phenyl)-N', N"-dimethyl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N',N"-dimethyl-N"-(1-methyl-piperidin-3-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N', N"-dimethyl-N"-(1-methyl-piperidin-3-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N', N"-dimethyl-N"-(1-methyl-1,4-dihydro-pyridin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N', N"-dimethyl-N"-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; 4-(4-Cycloheptylamino-6-[(3-fluoro-4-methoxy-phenyl)-methyl-amino]-[1,3,5]triazin-2-yl)-methyl-amino)-1-methyl-pyridinium, chloride; Acetic acid 4-(4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-fluoro-phenyl ester; N-Cycloheptyl-N'-(5-fluoro-6-methoxy-pyridin-3-yl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-fluoro-5-methoxy-pyridin-2-yl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-methyl-N"-(4-methylpiperazin-1-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-methyl-N"-(1-methyl-piperidin-4-yl)-N"-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-3-fluoro-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methylamino-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-dimethylamino-3-fluoro-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 6-(3-Chloro-4-methylamino-phenoxy)-N-cycloheptyl-N'-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-dimethylamino-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-6-(3-fluoro-4-methoxy-phenoxy)-N'-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N,N"-dimethyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cyclohept-4-enyl-N'-(3-fluoro-4-methoxy-

phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methyl-phenyl)-N"-methyl-N"-(1-methyl-piperidin-
 4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(4-ethyl-3-fluorophenyl)-
 N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-
 5 Cycloheptyl-N'-(3-fluoro-4-methoxy-cyclohexyl)-N"-methyl-N"-(1-methyl-
 piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-Cyclohept-3-enyl-N'-(3-fluoro-4-
 methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-
 triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N,N"-dimethyl-N"-(1-
 methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 4-{4-Cycloheptylamino-6-
 10 [methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-
 phenol; Sodium; 4-{4-(1-ethyl-hexylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-
 amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate; N-Cyclohept-2-enyl-N'-(3-
 fluoro-4-methoxy-phenyl)-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-
 2,4,6-triamine; 2-Chloro-4-[4-cycloheptylamino-6-(1-methyl-piperidin-4-ylamino)-
 15 [1,3,5]triazin-2-ylamino]-phenol; 4-[4-Cycloheptylamino-6-(1-methyl-piperidin-4-
 ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; N-(3-Chloro-4-methoxy-
 phenyl)-N'-cyclohept-2-enyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,
 3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N"-
 methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Bromo-4-methoxy-
 20 phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-
 2,4,6-triamine; 4-[4-Cycloheptylamino-6-(methyl-piperidin-4-yl-amino)-
 [1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 2-Chloro-4-[4-cycloheptylamino-6-
 (methyl-piperidin-4-yl-amino)-[1,3,5]triazin-2-ylamino]-phenol; Sodium; 2-chloro-
 4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-
 25 2-ylamino)-phenolate; N-(3-Chloro-4-methoxymethoxy-phenyl)-N'-cycloheptyl-N"-
 methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; Phosphoric
 acid mono-(2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-
 amino]-[1,3,5]triazin-2-ylamino)-phenoxy-methyl) ester; Monosodium salt,
 phosphoric acid mono-(2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-
 30 piperidin-4-yl)-amino]-[1,3,5]triazine-2-ylamino)-phenoxy-methyl) ester; N-(3-
 Chloro-4-methylsulfanylmethoxy-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-
 methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid di-tert-butyl

ester 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-
 [1,3,5]triazin-2-ylamino}-phenoxymethyl ester; N-Cycloheptyl-N'-(3-fluoro-4-
 methoxymethoxy-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-
 2,4,6-triamine; Phosphoric acid dibenzyl ester 2-chloro-4-{4-cycloheptylamino-6-
 5 [methyl-(1-methyl-piperidin-4-yl)-amino][1,3,5]triazin-2-ylamino}-phenoxymethyl
 ester; Phosphoric acid mono-(4-{4-cycloheptylamino-6-[methyl-(1-methyl-
 piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxymethyl) ester;
 2-(2-{2-[2-(2-Chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-
 amino]-[1, 3, 5]triazin-2-ylamino}-phenoxy)-ethoxy]-ethoxy}-ethoxy)-ethanol; 2-
 10 (2-{2-[2-(4-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)amino]-
 [1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy}-ethoxy)-ethanol; 4-
 {[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-
 methyl-amino)-1-methyl-1-phosphonooxymethyl-piperidinium, chloride; N-
 Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-pyridin-4-yl-
 15 [1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-
 methyl-N''-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; Phosphoric acid mono-(4-{4-
 cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-
 ylamino}-2-fluoro-phenyl) ester; Phosphoric acid mono-(4-{[4-cycloheptylamino-
 6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-
 20 piperidin-1-ylmethyl) ester; 4-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-
 phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-1-
 phosphonooxymethyl-piperidinium, chloride; N-Cycloheptyl-N'-(3-fluoro-4-
 methoxy-phenyl)-N''-pyridin-4-yl-[1,3,5]triazine-2,4,6-triamine; 4-{[4-(3-Chloro-
 4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino}-
 25 1-methyl-pyridinium, chloride; 4-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-
 phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-1,1-di-methyl-piperidinium,
 iodide; N-Allyl-N'-(3-chloro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-
 piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-
 methyl-N'-(1-methyl-piperidin-4-yl)-N''-propyl-[1, 3,5]triazine-2,4,6-triamine; N-
 30 (3-Fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-N''-propyl-[
 1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-
 methyl-N''-(3-methylamino-propyl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-

- methoxy-phenyl)-N'-cycloheptyl-N''-(3-dimethylamino-propyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(3-dimethylamino-propyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-dimethylamino-propyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-
- 5 triamine; 6-Azepan-1-yl-N-(3-chloro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-methoxymethyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-piperidin-1-yl-[1,3,5]triazine-2,4,6-triamine;
- 10 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-piperidin-4-yl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine; 4-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-piperidine-1-carbaldehyde; 4-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-(3-chloro-4-
- 15 methoxy-phenyl)-N''-cycloheptyl-[1, 3,5]triazine-2,4,6-triamine; N-Bicyclo[2.2.2]oct-2-yl-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine; N-Bicyclo[2.2.2]oct-2-yl-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- 20 N-Bicyclo[2.2.1]hept-2-yl-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptylidene-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-[1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine; 3-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; 3-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(3-Amino-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-
- 25 [1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-N-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-dimethylamino-cyclohexyl)-N''-methyl-
- 30 [1,3,5]triazine-2,4,6-triamine; N-(4-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-N-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-dimethylamino-cyclohexyl)-N''-methyl-

- [1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-methoxy-cyclohexyl)-N'''-methyl-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methoxy-cyclohexyl)-N'''-methyl-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-dimethylamino-cyclohexyl)-[1, 3,5]triazine-2,4,6-triamine; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-cyclohexanethiol; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-methylsulfanyl-cyclohexyl)-[1, 3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(4-methanesulfonyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methanesulfonyl-cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-N'''-thiepan-4-yl-[1,3,5]triazine-2,4,6-triamine; 6-(Bicyclo[2.2.1]hept-2-yloxy)-N-(3-chloro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; N-(3-Chloro-4-methoxy-phenyl)-N'-(1,1-dioxo-1 lambda*6*-thiepan-4-yl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(1,1-Dioxo-1 lambda*6*-thiepan-4-yl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-piperidin-4-yl)-[1, 3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-N'''-thiepan-3-yl-[1,3,5]triazine-2,4,6-triamine; 5-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-Cycloheptylamino-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 5-{{[4-(3-Chloro-4-hydroxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; 6-(Bicyclo[2.2.1]hept-2-yloxy)-N-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine; 4-[4-Cycloheptylamino-6-(hydroxymethyl-amino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 5-{{[4-(3-Fluoro-4-methoxy-phenylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione; Sodium, 4-[4-cycloheptylamino-6-(pyrrolidine-2-carbonyloxy)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenolate; N-Cycloheptyl-N'-(2,3-dihydro-1H-

indol-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-
 ylamino]-cyclohexanethiol; 2-[[4-(3-Chloro-4-methoxy-phenylamino)-6-
 cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-cyclohexanol; N-(2-Amino-
 5 cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-N-methyl-
 [1,3,5]triazine-2,4,6-triamine; N-(2-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-
 fluoro-4-methoxy-phenyl)[1,3,5]triazine-2,4,6-triamine; 4-[4-(2-Amino-
 cyclohexylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol;
 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-
 10 ylamino]-cyclohexanol; N-(3-Fluoro-4-methoxy-phenyl)-N'-(2-methyl-
 cyclohexyl)-N''-(1-methyl-hexyl)-[1,3,5]triazine-2,4,6-triamine; N-Cycloheptyl-N'-
 (3-fluoro-4-methoxy-phenyl)-N''-(3-methyl-cyclohexyl)-[1,3,5]triazine-2,4,6-
 triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(3-methyl-
 cyclohexyl)-[1,3,5]triazine-2,4,6-triamine; 3-(2-{2-[2-(2-Hydroxy-ethoxy)-
 15 ethoxy]-ethoxy}-ethoxy)-propionic acid 4-{4-cycloheptylamino-6-[methyl-(1-
 methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenylester; 3-
 (2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propionic acid 4-{4-
 cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-
 ylamino)-2-fluoro-phenyl ester; 3-(2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy)-
 20 ethoxy)-propionic acid 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-
 piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenyl ester; 3-(2-{2-[2-(2-
 Hydroxy-ethoxy)-ethoxy]-ethoxy)-ethoxy)-propionic acid 2-chloro-4-{4-
 cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-
 ylamino)-phenylester; 1-{4-[4-(3-Chloro-4-methoxy-phenylamino)-6-
 25 cycloheptylamino-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-3-(2-{2-[2-(2-hydroxy-
 ethoxy)-ethoxy]ethoxy)-ethoxy)-propan-1-one; 1-{4-[4-(3-Chloro-4-methoxy-
 phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-3-(2-
 {2-[2-(2-methoxy-ethoxy)-ethoxy]ethoxy)-ethoxy)-propan-1-one; 1-{4-[4-
 Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-
 30 piperidin-1-yl}-3-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]ethoxy)-ethoxy)-propan-1-
 one; 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-
 [1,3,5]triazin-2-ylamino]-piperidin-1-yl}-3-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-


ethoxy)-ethoxy)-propan-1-one; 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-(2-hydroxy-ethoxy)-ethoxy)-ethoxy)-ethoxy]-ethyl}-1-methyl-piperidinium, chloride; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-
5 {2-[2-(2-{2-(2-hydroxy-ethoxy)-ethoxy)-ethoxy)-ethoxy]-ethyl}-1-methyl-piperidinium, chloride; 4-[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-{2-[2-(2-{2-(2-methoxy-ethoxy)-ethoxy)-ethoxy)-ethoxy]-ethyl}-1-methyl-piperidinium, chloride; 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-
10 1-{2-[2-(2-{2-(2-methoxy-ethoxy)-ethoxy)-ethoxy)-ethoxy)-ethoxy]-ethyl}-1-methyl-piperidinium, chloride; 5-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzoic acid; 5-{4-Cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzoic acid ethyl ester; Sodium, 5-{4-cycloheptylamino-6-
15 [methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoate; 4-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium, chloride; 4-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium, bromide; 4-{{4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-
20 piperidinium, bromide; 3-Carboxy-propionate-4-{{4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; 3-Carboxy-acrylate-4-{{4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium;
25 Carboxy-methanecarboxylate-4-{{4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; Carboxy-methanecarboxylate-4-{{4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; 3-Carboxy-acrylate-4-{{4-(3-chloro-4-methoxy-phenylamino)-6-cycloheptylamino-
30 [1,3,5]triazin-2-yl]-methyl-amino)-1-methyl-piperidinium; 4-[4-(3-Chloro-4-hydroxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-1-methyl-piperidinium, chloride; 4-[4-Cycloheptylamino-6-(3-fluoro-4-hydroxy-

phenylamino)-[1,3,5]triazin-2-ylamino]-piperidinium, chloride; 4-{4-Cycloheptylamino-6-[1-(4-methoxy-benzyl)-piperidin-4-ylamino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; 4-[4-Cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; 4-[4-Cyclopropylamino-6-(piperidine-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(1-methyl-1-oxy-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-methyl-N''-(1-methyl-1-oxy-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; 4-{4-Cycloheptylamino-6-[methyl-(1-methyl-1-oxy-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; 2-Chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-1-oxy-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino}-phenol; N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methanesulfonyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine; or N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-methanesulfonyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine.


15


5. A method of treating unwanted cellular proliferation, an inflammation mediated disease, or a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula Ia:



20




wherein:


R^{1a} is selected from










5








R^{4a} is selected from $-H$ or $-CH_3$;




R^{6a} is selected from $-H$ or $-CH_3$; and





6. A microarray comprising:


a gene expression profile generated from a cell type treated with a compound of the formula Ia:




wherein:




















R^{2a} is selected from




R^{3a} is selected from $-H$,











R^{4a} is selected from $-H$ or $-CH_3$;




R^{6a} is selected from $-H$ or $-CH_3$; and





7. An expression profile database comprising:


a patient identifying reference; and
 an expression profile for the patient generated by administering to the
 patient a compound of the formula Ia:







5 wherein:































R^{4a} is selected from $-H$ or $-CH_3$;




R^{6a} is selected from $-H$ or $-CH_3$; and





8. A compound of the formula Ib:




wherein:










R^{2b} is selected from




R^{3b} is selected from








R^{5b} is selected from




5

R^{6b} is selected from



; and

R^{7b} is selected from



9. A compound as claimed in Claim 1, wherein the compound is:

- N-Cycloheptyl-N'(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine;
5 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine;
6-(3-Bromo-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine;
N-Cycloheptyl-N'(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-iodo-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine;
10 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Chloro-4-methoxy-benzyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
15 N-(3-Bromo-4-methoxy-benzyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[2-(3-fluoro-4-methoxyphenyl)-ethyl]-[1,3,5]triazine-2,4,6-triamine;
20 N-[2-(3-Chloro-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-[2-(3-Bromo-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
25 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[2-(3-iodo-4-methoxy-phenyl)-ethyl]-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(4-ethoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Chloro-4-ethoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
30 N-(3-Bromo-4-ethoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(4-ethoxy-3-iodo-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
35 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-propoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Chloro-4-propoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Bromo-4-propoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
40 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-propoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine;
45 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Bromo-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-

- ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 {4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-(3-fluoro-4-methoxy-phenyl)-cyanamide;
 5 (3-Chloro-4-methoxy-phenyl)-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-cyanamide;
 (3-Bromo-4-methoxy-phenyl)-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-cyanamide;
 10 {4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-(3-iodo-4-methoxy-phenyl)-cyanamide;
 4-{4-Cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol;
 2-Bromo-4-{4-cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-phenol;
 15 4-{4-Cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-iodo-phenol;
 N-Cycloheptyl-N'-ethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 20 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N-ethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N-methyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N-ethyl-N'-(1-ethylpyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N-propyl-[1,3,5]triazine-2,4,6-triamine;
 6-Cycloheptyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 30 6-Cyclopropoxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 6-Cyclopentyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 6-Cyclohexyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 35 N-Cycloheptyl-N'-(1-ethyl-1-oxy-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-propyl-butyl)-[1,3,5]triazine-2,4,6-triamine;
 40 N-Cyclopent-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cyclohex-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cyclohept-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 45 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrrolidin-1-yl-[1,3,5]triazine-2,4,6-triamine;

- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-piperidin-1-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-1-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 5 4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl-cyanamide;
 N-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-acetamide;
 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-pyrrolidin-2-one;
 10 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-2-one;
 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-azepan-2-one;
 15 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrrolidin-3-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-3-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-oxepan-3-yl-[1,3,5]triazine-2,4,6-triamine;
 20 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydropyran-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydrofuran-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-(1-ethylpyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Aza-bicyclo[2.2.1]hept-3-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Bicyclo[2.2.1]hept-2-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 30 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-carbamic acid;
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-urea;
 35 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-propan-2-one;
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-pentan-2-one;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine;
 40 N-Cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine;
 1-{4-[[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-piperidin-1-yl}-ethanone;
 45 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid amide;

- 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-ol;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine;
 5 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(1-methyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 2-[[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl]-pyrrolidine-1-carbaldehyde;
 2-[[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl]-pyrrolidine-1-carboxylic acid;
 10 2-[[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl]-pyrrolidine-1-carboxylic acid amide;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-methyl-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 20 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-methyl-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(4-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-Cycloheptyl-N'-(4-dimethylaminocyclohexyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-4H-pyridin-1-yl}-ethanone;
 1-{4-[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-butan-1-one;
 30 1-{4-[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-pentan-1-one;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid methyl ester;
 35 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid ethylester;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid propyl ester;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid benzyl ester;
 40 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-propan-2-one;
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-pentan-2-one;
 45 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-hexan-2-one;
 {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid methyl ester;

- {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid ethyl ester;
 {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid propyl ester;
- 5 N-Cyclohept-3-enyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-4-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-azepan-4-yl)-[1,3,5]triazine-2,4,6-triamine;
- 10 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-4-yl-[1,3,5]triazine-2,4,6-triamine;
 N-(1,1-Dioxo-1 λ 6*-thiepan-4-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- 15 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-oxepan-2-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-2-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-2-yl-[1,3,5]triazine-2,4,6-triamine;
- 20 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-3-yl-[1,3,5]triazine-2,4,6-triamine;
 N-(1,1-Dioxo-1 λ 6*-thiepan-3-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- 25 2-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 2-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 2-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; bromide;
- 30 2-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-methyl-pyrrolidinium; iodide;
 1-Acetyl-2-{{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
- 35 Sodium; 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate;
 Potassium; 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate;
 3-Carboxy-propionate-2-{{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino] methyl}-1-ethyl-pyrrolidinium;
- 40 3-Carboxy-acrylate-2-{{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
- 45 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-1H-pyrrol-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;


- N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 5 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1,1-dioxo-tetrahydro-1 λ 6*-thiophen-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 10 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(5-fluoro-6-methoxy-pyridin-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-fluoro-5-methoxy-pyridin-2-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyridin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyridin-3-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 20 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-trifluoromethyl-phenol;
 N-Cycloheptyl-N'-(2-ethyl-cyclopentylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(2-methyl-cyclopentylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol;
 N-(2-Amino-cyclopentylmethyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 30 3-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol;
 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-cyclopentanol;
 35 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(tetrahydro-pyrrolo[1,2-c]imidazol-2-yl)-[1,3,5]triazine-2,4-diamine;
 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-hexahydro-pyrrolo[1,2-c]imidazol-3-one;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1H-imidazol-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 40 N-Cycloheptyl-6-(2,3-dihydro-indol-1-yl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-indol-1-yl-[1,3,5]triazine-2,4-diamine;
 45 1-(2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-3-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propan-1-one;

- 1-(2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-pyrrolidin-1-yl)-3-(2-{2-(2-methoxy-ethoxy)-ethoxy}-ethoxy)-ethoxy)-propan-1-one;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-[1-(2-{2-(2-methoxy-ethoxy)-ethoxy}-ethoxy)-ethoxymethyl]-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 2-(2-{2-(2-{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-1,3,5]triazin-2-ylamino}-methyl)-pyrrolidin-1-ylmethoxy)-ethoxy}-ethoxy)-ethoxy)-ethanol;
 3-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-propionic acid 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester;
 3-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-propionic acid 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester;
 3-(2-{2-[2-(4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy}-ethoxy)-ethoxy)-propan-1-ol;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[3-fluoro-4-(2-{2-[2-(3-methoxy-propoxy)-ethoxy]-ethoxy}-ethoxy)-phenyl]-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxymethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfanylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(4-cyclopropoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid monoethyl ester;
 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid dibenzyl ester ethyl ester
 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid ditert-butyl ester ethyl ester;
 Phosphoric acid mono-(4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl) ester;
 5-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-hydroxy-benzoic acid; compound with ethane;
 Sodium; 5-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoate;
 2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-1-(di-tert-butoxy-phosphoryloxymethyl)-1-ethyl-pyrrolidinium; chloride;
 1-(Bis-benzyloxy-phosphoryloxymethyl)-2-{{4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-1-ethyl-pyrrolidinium; chloride;


2-{{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-phosphonooxymethyl-pyrrolidinium; chloride;
Trifluoro-acetate 2-{{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-phosphonooxymethyl-pyrrolidinium;
5 or
Phosphoric acid mono-(2-{{[4-cycloheptylamino-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-ylmethyl) ester;
compound with ethane.


10


10. A composition comprising a compound of the formula Ib:





wherein:












R^{2b} is selected from





R^{3b} is selected from



5









R^{4b} is selected from $-H$, $-CH_3$, $-CH_2CH_3$, or $-CH_2CH_2CH_3$;

R^{5b} is selected from




5

R^{6b} is selected from



R^{7b} is selected from



11. The composition as claimed in Claim 3, wherein the compound is selected from:

- 5 N-Cycloheptyl-N'(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine;
6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine;
6-(3-Bromo-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine;
10 N-Cycloheptyl-N'(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-iodo-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine;
15 N-(3-Chloro-4-methoxy-benzyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Bromo-4-methoxy-benzyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine;
20 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[2-(3-fluoro-4-methoxyphenyl)-ethyl]-[1,3,5]triazine-2,4,6-triamine;
N-[2-(3-Chloro-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
25 N-[2-(3-Bromo-4-methoxy-phenyl)-ethyl]-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[2-(3-iodo-4-methoxy-phenyl)-ethyl]-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(4-ethoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
30 N-(3-Chloro-4-ethoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Bromo-4-ethoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
35 N-Cycloheptyl-N'-(4-ethoxy-3-iodo-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-propoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
N-(3-Chloro-4-propoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
40 N-(3-Bromo-4-propoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-propoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
45 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine;

- N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(3-Bromo-4-methoxy-phenyl)-N'-cycloheptyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 5 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-iodo-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 {4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-(3-fluoro-4-methoxy-phenyl)-cyanamide;
 10 (3-Chloro-4-methoxy-phenyl)-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-cyanamide;
 (3-Bromo-4-methoxy-phenyl)-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-cyanamide;
 {4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-yl}-(3-iodo-4-methoxy-phenyl)-cyanamide;
 15 4-{4-Cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol;
 2-Bromo-4-{4-cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-phenol;
 4-{4-Cycloheptylamino-6-[(1-ethylpyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-iodo-phenol;
 20 N-Cycloheptyl-N'-ethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N-ethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N-methyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N-ethyl-N'-(1-ethylpyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N-propyl-[1,3,5]triazine-2,4,6-triamine;
 30 6-Cycloheptyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 6-Cyclopropoxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 35 6-Cyclopentyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 6-Cyclohexyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-1-oxy-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 40 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N'-(1-propyl-butyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cyclopent-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 45 N-Cyclohex-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cyclohept-2-enyl-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;

- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-pyrrolidin-1-yl-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-piperidin-1-yl-[1,3,5]triazine-2,4,6-triamine;
 5 N-Azepan-1-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl-cyanamide;
 N-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-acetamide;
 10 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-pyrrolidin-2-one;
 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-2-one;
 15 3-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-azepan-2-one;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-pyrrolidin-3-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-3-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 20 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-oxepan-3-yl-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-(tetrahydropyran-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 25 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N"-(tetrahydrofuran-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-(1-ethylpyrrolidin-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Aza-bicyclo[2.2.1]hept-3-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 30 N-Bicyclo[2.2.1]hept-2-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N"-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-carbamic acid;
 35 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-urea;
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-propan-2-one;
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-pentan-2-one;
 40 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine;
 N-Cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine;
 45 1-{4-[[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-methyl-amino}-piperidin-1-yl}-ethanone;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid;

- 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid amide;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-ol;
- 5 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(1-methyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
- 10 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carbaldehyde;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid amide;
- 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-methyl-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine;
- 20 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxyphenyl)-N''-methyl-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
- 25 N-(4-Amino-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(4-dimethylaminocyclohexyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- 30 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-4H-pyridin-1-yl}-ethanone;
 1-{4-[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-butan-1-one;
 1-{4-[4-cycloheptylamino-6-(3-fluoro-methoxy-phenylamino)-[1,3,5]triazin-ylamino]-piperidin-1-yl}-pentan-1-one;
- 35 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-ylamino]-piperidine-1-carboxylic acid methyl ester;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid ethylester;
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-ylamino]-piperidine-1-carboxylic acid propyl ester;
- 40 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid benzyl ester;
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-propan-2-one;
- 45 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-pentan-2-one;
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-hexan-2-one;


- {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid methyl ester;
 {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid ethyl ester;
 5 {4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-acetic acid propyl ester;
 N-Cyclohept-3-enyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-4-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 10 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-azepan-4-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-4-yl-[1,3,5]triazine-2,4,6-triamine;
 15 N-(1,1-Dioxo-1 lambda*6*-thiepan-4-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-oxepan-2-yl-[1,3,5]triazine-2,4,6-triamine;
 N-Azepan-2-yl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 20 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-2-yl-[1,3,5]triazine-2,4,6-triamine;
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiepan-3-yl-[1,3,5]triazine-2,4,6-triamine;
 25 N-(1,1-Dioxo-1 lambda*6*-thiepan-3-yl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 2-{[4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 30 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; bromide;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-methyl-pyrrolidinium; iodide;
 35 1-Acetyl-2-{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 Sodium; 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate;
 Potassium; 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate;
 40 3-Carboxy-propionate-2-{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino] methyl}-1-ethyl-pyrrolidinium;
 3-Carboxy-acrylate-2-{[4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium;
 45 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-1H-pyrrol-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;

- N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 5 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 10 N-Cycloheptyl-N'-(1,1-dioxo-tetrahydro-1 λ 6*-thiophen-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(5-fluoro-6-methoxy-pyridin-3-yl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-fluoro-5-methoxy-pyridin-2-yl)-[1,3,5]triazine-2,4,6-triamine;
 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyridin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyridin-3-ylmethyl-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 20 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-trifluoromethyl-phenol;
 25 N-Cycloheptyl-N'-(2-ethyl-cyclopentylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(2-methyl-cyclopentylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol;
 30 N-(2-Amino-cyclopentylmethyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
 3-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol;
 35 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-cyclopentanol;
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(tetrahydro-pyrrolo[1,2-c]imidazol-2-yl)-[1,3,5]triazine-2,4-diamine;
 2-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-hexahydro-pyrrolo[1,2-c]imidazol-3-one;
 40 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1H-imidazol-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
 N-Cycloheptyl-6-(2,3-dihydro-indol-1-yl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine;
 45 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-indol-1-yl-[1,3,5]triazine-2,4-diamine;


- 1-(2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-pyrrolidin-1-yl)-3-(2-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propan-1-one;
- 5 1-(2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-pyrrolidin-1-yl)-3-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propan-1-one;
- N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-[1-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxymethyl)-pyrrolidin-2-ylmethyl]-[1,3,5]triazine-2,4,6-triamine;
- 10 2-(2-{2-[2-(2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-1,3,5]triazin-2-ylamino}-methyl}-pyrrolidin-1-ylmethoxy)-ethoxy]-ethoxy}-ethoxy)-ethanol;
- 3-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-propionic acid 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester;
- 15 3-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-propionic acid 4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester;
- 3-(2-{2-[2-(4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy}-ethoxy)-propan-1-ol;
- 20 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-[3-fluoro-4-(2-{2-[2-(3-methoxy-propoxy)-ethoxy]-ethoxy}-ethoxy)-phenyl]-[1,3,5]triazine-2,4,6-triamine;
- 25 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxymethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfanylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine;
- N-Cycloheptyl-N'-(4-cyclopropoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine;
- 30 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid monoethyl ester;
- 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid dibenzyl ester ethyl ester
- 35 4-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol; compound with phosphoric acid ditert-butyl ester ethyl ester;
- Phosphoric acid mono-(4-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl) ester;
- 40 5-{4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-hydroxy-benzoic acid; compound with ethane;
- Sodium; 5-{4-cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoate;
- 45 2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-1-(di-tert-butoxy-phosphoryloxymethyl)-1-ethyl-pyrrolidinium; chloride;


- 1-(Bis-benzyloxy-phosphoryloxymethyl)-2-{{4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride;
 2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-phosphonooxymethyl-pyrrolidinium; chloride;
 5 Trifluoro-acetate 2-{{4-cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-phosphonooxymethyl-pyrrolidinium;
 or
 Phosphoric acid mono-(2-{{4-cycloheptylamino-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-ylmethyl) ester;
 10 compound with ethane.


12. A method of treating unwanted cellular proliferation, an inflammation mediated disease, or a hyperproliferative disease, or modulating a glycosidase
 15 enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula Ib:





wherein:















or




R^{2b} is selected from




R^{3b} is selected from







5




5







R^{4b} is selected from -H, -CH₃, -CH₂CH₃, or -CH₂CH₂CH₃;





R^{5b} is selected from



5




R^{6b} is selected from ; and


R^{7b} is selected from .


13. A microarray comprising:


5 a gene expression profile generated from a cell type treated with a compound of the formula Ib:




wherein:
















or





R^{2b} is selected from




5 R^{3b} is selected from









R^{5b} is selected from




R^{6b} is selected from




R^{7b} is selected from





14. An expression profile database comprising:
 a patient identifying reference; and
 an expression profile for the patient generated by administering to the
 5 patient a compound of the formula Ib:




wherein:










R^{2b} is selected from




R^{3b} is selected from









R^{5b} is selected from




R^{6b} is selected from



R^{7b} is selected from



15. A compound of the formula Ic or IIc:



or an ene, a diene, a triene, or an yne derivative thereof; a saturated derivative thereof; a stereoisomer thereof; or a salt thereof;

wherein:

R^1 is in each occurrence independently selected from H; linear or branched alkyl with up to 10 carbon atoms; cycloalkyl with up to 10 carbon atoms; cycloalkenyl with up to 10 carbon atoms; benzyl; O_2CR , $C(O)R$, or $C(O)OR$ wherein R is H, or linear or branched alkyl with up to 10 carbon atoms; CH_2NH_2 ; CH_2OH ; or aryl;

G is NR^1 or O ;

J is CH or N ;

n is an integer from 0 to 3;



X^1 is selected from $o-R^1$, $m-R^1$, $m-OR^1$, $m-OCF_3$, $o-F$, $o-Cl$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CF_3$, $m-CN$, $m-NO_2$, $m-C(O)OR^1$, $C(O)OLi$, $C(O)ONa$, $m-SO_2R^1$, $m-NC(O)R^1$, or $m-SO_2OR^1$; or X^1 and X^2 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;

X^2 is selected from $o-R^1$, $p-R^1$, $p-OR^1$, $p-OCF_3$, $o-F$, $o-Cl$, $o-Br$, $o-I$, $o-CF_3$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CN$, $m-CF_3$, $m-OCF_3$, $p-SR^1$, $p-NR^1_2$, $p-F$, $p-Cl$, $p-Br$, $p-CF_3$, $p-OCF_3$, $p-C(O)OR^1$, $p-OC(O)R^1$, $p-CN$, $p-NO_2$, $p-NC(O)R^1$, $o-C\equiv CC(CH_3)_2OR^1$, $p-C\equiv CC(CH_3)_2OR^1$, $p-OM$, $p-SM$, $m-C(O)OM$, or $p-C(O)OM$ wherein M is selected from Li , Na , K , Mg , or Ca ; $p-O(CH_2)_mZR^1$ wherein m is an integer from 0 to 3 and Z is selected from O , S , $-S(O)-$, $-SO_2-$, $-OP(O)(OH)O-$, -

$P(O)(OH)O^-$, or $-C(O)-$; $p-OC(O)(CH_2CH_2O)_rR^1$ or $p-O(CH_2CH_2O)_rR^1$ wherein r is from 0 to 6;


X^3 is $o-R^1$, $m-R^1$, $p-R^1$, $o-OR^1$, $m-OR^1$, or $p-OR^1$; or X^2 and X^3 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


5 AY and DY are independently selected from OR^1 ; F; Cl; Br; I;






A and D are independently selected from O or NR^1 ; and







10 Y is in each occurrence independently selected from R^1 ; $(CHR^1)_qR^1$;





n is 1 or 2 and Q is selected from CH or N; or ; wherein q is an integer from 0 to 3 and E is in each occurrence independently selected from NR¹, O, S, C=O, or C=NR¹;





15

16. A compound as claimed in Claim 1, wherein the compound is:

- 2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanone,
N-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-yl]-guanidine,
- 5 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-pyrrolidin-2-yl)-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
1-2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-
10 [1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-ethanone,
2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid methyl ester,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-N'-(2-ethyl-cyclopentylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-N'-(2-ethyl-pyrazolidin-1-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 20 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-3-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-imidazol-1-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,3,5]triazine-2,4-diamine,
- 30 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N'-methyl-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(pyrrolidin-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- N-Cyclohexylmethyl-N'-(1-ethyl-piperidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 5 1-Ethyl-pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
- Pyrrolidine-1,2-dicarboxylic acid 1-tert-butyl ester 2-[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxyphenylamino)-[1,3,5]triazin-2-yl] ester,
- Pyrrolidine-2-carboxylic acid 4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
- 10 N-(3-Chloro-4-methoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(3-Bromo-4-methoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-nitro-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 5-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(2-methyl-pentylamino)-[1,3,5]triazin-2-ylamino]-2-methoxy-benzenesulfonic acid,
- 5-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino)-2-methoxy-benzonitrile,
- 20 4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino)-2-fluoro-phenol,
- Sodium; 2-chloro-4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-phenolate,
- 25 N-(3-Chloro-4-ethoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(2-methyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- Sodium; 4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate,
- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxymethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 30 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfanylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methanesulfinylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methanesulfonylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfonyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-benzenethiol,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine,
 10 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(tetrahydro-pyrrolo[1,2-c]imidazol-2-yl)-[1,3,5]triazine-2,4-diamine,
 15 Phosphoric acid mono-(4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy-methyl) ester,
 Phosphoric acid mono-(4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl) ester,
 HHPosphoric acid mono-(2-chloro-4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-phenoxy-methyl) ester,
 20 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylamino-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 Acetic acid 4-{4-(cyclohexylmethylamino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
 25 N-(4-Amino-3-fluoro-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(4-dimethylamino-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(4-Amino-3-chloro-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 30 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-isopropoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(4-cyclopropoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-cyclopropoxy-phenyl)N'-Cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 5 N-Cyclohexylmethyl-N'-(4-ethyl-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-methyl-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 10 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-trifluoromethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-(3-Chloro-4-trifluoromethoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-ethyl-oxazolidin-4-ylmethyl)-N''-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3,5-dichloro-4-methyl-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 20 N-Cyclohexylmethyl-N'-(3,5-dichloro-4-methoxy-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3,5-difluoro-4-methoxy-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2,6-difluoro-phenol,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-fluoro-5-methoxy-pyridin-2-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(5-fluoro-6-methoxy-pyridin-3-yl)-[1,3,5]triazine-2,4,6-triamine,
- 30 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(8-fluoro-chroman-6-yl)-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine,
 6-(4-Amino-3-fluoro-phenoxy)-N-cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 5 6-(4-Amino-2-fluoro-phenoxy)-N-cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-pyran-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-N'-piperidin-4-ylmethyl-[1,3,5]triazine-2,4-diamine,
 10 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiomorpholin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(1,1-Dioxo-1 λ^6 -thiomorpholin-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 15 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-thiopyran-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1,1-Dioxo-hexahydro-1 λ^6 -thiopyran-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Benzyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 20 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methyl-benzyl)-[1,3,5]triazine-2,4,6-triamine,
 25 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-nitro-benzyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(4-fluoro-benzyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclopentylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 30 N-Cyclohex-2-enylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclopropylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 '3-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol,
- 5 N-(3-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 10 4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 2-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol,
 N-(2-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methyl-cyclohexylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(2-methyl-cyclohexylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 2-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
- 20 3-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
 4-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
- 25 N-(4-Amino-cyclohexylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Amino-cyclohexylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cycloheptylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 30 N-Bicyclo[2.2.1]hept-2-yl-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxyphenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-Bicyclo[2.2.2]oct-2-yl-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5 N-(1-Cyclohexyl-1-methyl-ethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-thiophen-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 10 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 15 N-Cyclohexylmethyl-N'-(3-fluoro-4-ethoxy-phenyl)-N''-(1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(2,3-dihydro-1H-indol-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 20 N-Cyclohexylmethyl-N'-(2-dimethylamino-ethyl)-N''-(3-fluoro-4-methoxyphenyl)-[1,3,5]triazine-2,4,6-triamine,
 Pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
 25 Pyrrolidine-2-carboxylic acid 4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
 1-Methyl-pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
 2-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-hexahydro-pyrrolo[1,2-c]imidazol-1-one,
 30 1-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-pyrrolidine-2,5-dione,


- 1-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-imidazolidine-2,4-dione,
 3-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-thiazolidine-2,5-dione,
- 5 2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-methyl-pyrrolidinium; chloride,
 1-Acetyl-2-{{[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
- 10 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
- 15 N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-oxazol-5-ylmethyl-[1, 3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-imidazol-1-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-imidazol-1-
- 20 ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrimidin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(2-Amino-pyrimidin-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 5-{{[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{[4-(3-Chloro-4-methoxy-phenylamino)-6-(cyclohexylmethyl-amino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
- 30 [1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,

- 5-{{4-(3-Chloro-4-hydroxy-phenylamino)-6-(cyclohexylmethyl-amino)-[1,3,5]triazin-2-ylamino}-methyl}-thiazolidine-2,4-dione,
Sodium; 4-{4-(cyclohexylmethyl-amino)-6-[(2,4-dioxo-thiazolidin-5-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate,
- 5 2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-1-ethyl-pyrrolidinium; chloride,
2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-1-ethyl-pyrrolidinium; bromide,
5-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoic acid,
- 10 Sodium; 5-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoate ,
3-(2-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propionic acid-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
- 15 3-(2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propionic acid 4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-phenyl)-[1,3,5]triazine-2,4,6-triamine,
20 .OH2-{2-[2-(4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy)-ethanol,
1-(2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl)-pyrrolidin-1-yl)-3-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-propan-1-one,
- 25 1-(2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl)-pyrrolidin-1-yl)-3-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy}-propan-1-one,
2-(2-{2-[2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl)-pyrrolidin-1-yl)-ethoxy]-ethoxy}-ethoxy)-ethanol,
- 30

- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-[1-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-ethyl)-pyrrolidin-2-ylmethyl]-[1,3,5]triazine-2,4,6-triamine,
- 3-Carboxy-propionate 2-{{4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium,
- 5 3-Carboxy-acrylate 2-{{4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium,
- N-Cyclohexylmethyl-6-(2-dimethylamino-ethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
- 10 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-6-(oxazol-5-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- 6-Benzyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
- 15 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-1H-pyrrol-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(furan-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- 20 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- 6-(Bicyclo[2.2.2]oct-2-yloxy)-N-cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-pyrrolidin-2-yloxy)-[1,3,5]triazine-2,4-diamine,
- 25 4-[4-[(1-Ethyl-pyrrolidin-2-yl methyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yloxymethyl]-cyclohexanol,
- 4-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yloxymethyl]-phenol,
- 30 4-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-(4-hydroxy-phenyl)-acetic acid,

- Cyclohexyl-[4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-acetic acid,
 [4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-phenyl-acetic acid,
 5 6-(2-Amino-1-phenyl-ethoxy)-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
 2-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-2-phenyl-ethanol,
 N-(1-Benzyl-pyrrolidin-2-ylmethyl)-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-phenyl)-[1, 3, 5]triazine-2,4,6-triamine,
 10 Amino-phenyl-acetic acid 4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
 Trifluoro-acetate 2-[[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl]-1-ethyl-pyrrolidinium, or
 15 2-Cyclohexyl-2-[4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-ethanol.

17. A composition comprising a compound of the formula Ic or IIc:



- 20 or an ene, a diene, a triene, or an yne derivative thereof; a saturated derivative thereof; a stereoisomer thereof; or a salt thereof;
 wherein:

R¹ is in each occurrence independently selected from H; linear or branched alkyl with up to 10 carbon atoms; cycloalkyl with up to 10 carbon

atoms; cycloalkenyl with up to 10 carbon atoms; benzyl; O_2CR , $C(O)R$, or $C(O)OR$ wherein R is H , or linear or branched alkyl with up to 10 carbon atoms; CH_2NH_2 ; CH_2OH ; or aryl;

G is NR^1 or O ;

5 J is CH or N ;

n is an integer from 0 to 3;


X^1 is selected from $o-R^1$, $m-R^1$, $m-OR^1$, $m-OCF_3$, $o-F$, $o-Cl$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CF_3$, $m-CN$, $m-NO_2$, $m-C(O)OR^1$, $C(O)OLi$, $C(O)ONa$, $m-SO_2R^1$, $m-NC(O)R^1$, or $m-SO_2OR^1$; or X^1 and X^2 together is a fused benzene, pyridine,


10 dioxane, or tetrahydropyran ring;

X^2 is selected from $o-R^1$, $p-R^1$, $p-OR^1$, $p-OCF_3$, $o-F$, $o-Cl$, $o-Br$, $o-I$, $o-CF_3$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CN$, $m-CF_3$, $m-OCF_3$, $p-SR^1$, $p-NR^1$, $p-F$, $p-Cl$, $p-Br$, $p-CF_3$, $p-OCF_3$, $p-C(O)OR^1$, $p-OC(O)R^1$, $p-CN$, $p-NO_2$, $p-NC(O)R^1$, $o-C\equiv CC(CH_3)_2OR^1$, $p-C\equiv CC(CH_3)_2OR^1$, $p-OM$, $p-SM$, $m-C(O)OM$, or $p-C(O)OM$ wherein M is selected from Li , Na , K , Mg , or Ca ; $p-O(CH_2)_mZR^1$ wherein m is an integer from 0 to 3 and Z is selected from O , S , $-S(O)-$, $-SO_2-$, $-OP(O)(OH)O-$, $-P(O)(OH)O-$, or $-C(O)-$; $p-OC(O)(CH_2CH_2O)_rR^1$ or $p-O(CH_2CH_2O)_rR^1$ wherein r is from 0 to 6;

15 X^3 is $o-R^1$, $m-R^1$, $p-R^1$, $o-OR^1$, $m-OR^1$, or $p-OR^1$; or X^2 and X^3 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


AY and DY are independently selected from OR^1 ; F ; Cl ; Br ; I ;




$H_2C-(CH_2)_x$ wherein x is an integer from 3 to 5;  wherein G is selected from NH , CH_2 or SH ; or

25 A and D are independently selected from O or NR^1 ; and


Y is in each occurrence independently selected from R^1 ; $(CHR^1)_q R^1$;




an integer from 0 to 3 and E is in each occurrence independently selected from NR^1 , O, S, C=O, or C=NR¹;




wherein W^- is selected from Cl^- , Br^- , I^- , $[\text{O}_2\text{CCH}_2\text{CH}_2\text{CO}_2\text{R}^1]^-$, $[\text{O}_2\text{CCHCHCO}_2\text{R}^1]^-$, or $[\text{O}_2\text{CCF}_3]^-$;




5 wherein q is an integer from 0 to 3, L is selected from CH or N, and U is selected from O, NR^1 , S, SO_2 , CHR^1 , or CHOH ;




wherein p is an integer from 0 to 3 and X^1 , X^2 , and X^3 are selected as defined above;




10 wherein q is an integer from 0 to 3 and X^4 is selected from H, 2-R¹, 3-R¹, 2-OH, 3-OH, 2-NH₂, or 3-NH₂;



wherein q is an integer from 0 to 3 and X^5 is selected from 2-R¹, 3-R¹, 4-R¹, 2-OH, 3-OH, 4-OH, 2-NH₂, 3-NH₂, or 4-NH₂;



, wherein q is an integer from 0 to 3 and X^6 is selected from H, 2-R¹, 3-R¹, 4-R¹, 2-OH, 3-OH, 4-OH, 2-NH₂, 3-NH₂, or 4-NH₂;









or

wherein T is selected from CO_2H , CH_2OH , or $(\text{CHR}^1)_x\text{NR}^1_2$ wherein x is an integer from 1 to 6;

CH_2R^1 ; CH_2CF_3 ; $\text{C(O)CHR}^1\text{NH}_2$; $\text{CHR}^1\text{CH}_2\text{OH}$; $(\text{CHR}^1)_x\text{NR}^1_2$ wherein x is an integer from 1 to 6;

5 C(O)Z^1 or $(\text{CHR}^1)_z\text{Z}^1$ wherein z is an integer from 0 to 6 and Z^1 is

selected from NR^1_2 ; ; H_2C  $(\text{CH}_2)_x$, wherein x is an integer from 3 to

5; ; ;  or  $(\text{CH}_2\text{CH}_2\text{O})_t\text{R}^1$ wherein t is from 0 to 6.

10 18. The composition as claimed in Claim 3, wherein the compound is selected from:

2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanone,

15 N-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-guanidine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-pyrrolidin-2-yl)-[1,3,5]triazine-2,4,6-triamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,

20 1-(2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-ethanone,
2-{{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid methyl ester,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-
25 triamine,

- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(2-ethyl-cyclopentylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5 N-Cyclohexylmethyl-N'-(2-ethyl-pyrazolidin-1-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-3-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 10 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-imidazol-1-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
 15 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(hexahydro-pyrrolo[1,2-a]pyrazin-2-yl)-[1,3,5]triazine-2,4-diamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N'-methyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(pyrrolidin-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
 20 N-Cyclohexylmethyl-N'-(1-ethyl-piperidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 1-Ethyl-pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
 25 Pyrrolidine-1,2-dicarboxylic acid 1-tert-butyl ester 2-[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxyphenylamino)-[1,3,5]triazin-2-yl] ester,
 Pyrrolidine-2-carboxylic acid 4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
 N-(3-Chloro-4-methoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 30 N-(3-Bromo-4-methoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-nitro-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(2-methyl-pentylamino)-[1,3,5]triazin-2-ylamino]-2-methoxy-benzenesulfonic acid,
 5 5-[4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino]-2-methoxy-benzonitrile,
 4-[4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol,
 Sodium; 2-chloro-4-[4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino]-phenolate,
 10 N-(3-Chloro-4-ethoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(2-methyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 Sodium; 4-[4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino]-2-fluoro-phenolate,
 15 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxymethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfanylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methanesulfinylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 20 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methanesulfonylmethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylsulfanyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 25 4-[4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino]-2-fluoro-benzenethiol,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-N''-methyl-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N''-pyrrolidin-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 30 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(tetrahydro-pyrrolo[1,2-c]imidazol-2-yl)-[1,3,5]triazine-2,4-diamine,

- Phosphoric acid mono-(4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy-methyl) ester,
- Phosphoric acid mono-(4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl) ester,
- 5 HHPosphoric acid mono-(2-chloro-4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-phenoxy-methyl) ester,
- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methylamino-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- Acetic acid 4-{4-(cyclohexylmethylamino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
- 10 N-(4-Amino-3-fluoro-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(4-dimethylamino-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-(4-Amino-3-chloro-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-isopropoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(4-cyclopropoxy-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 20 N-(3-Chloro-4-cyclopropoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(4-ethyl-3-fluoro-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(3-Chloro-4-methyl-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-trifluoromethoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 30 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-methoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-(3-Chloro-4-trifluoromethoxy-phenyl)-N'-cyclohexylmethyl-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-ethyl-oxazolidin-4-ylmethyl)-N''-(4-trifluoromethoxy-3-trifluoromethyl-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5 N-Cyclohexylmethyl-N'-(3,5-dichloro-4-methyl-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3,5-dichloro-4-methoxy-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3,5-difluoro-4-methoxy-phenyl)-N''-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 10 4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2,6-difluoro-phenol,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(4-fluoro-5-methoxy-pyridin-2-yl)-[1,3,5]triazine-2,4,6-triamine,
 15 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(5-fluoro-6-methoxy-pyridin-3-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(8-fluoro-chroman-6-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine,
 20 6-(4-Amino-3-fluoro-phenoxy)-N-cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 6-(4-Amino-2-fluoro-phenoxy)-N-cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 25 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydropyran-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-N'-piperidin-4-ylmethyl-[1,3,5]triazine-2,4-diamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiomorpholin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 30 N-(1,1-Dioxo-1- λ^6 -thiomorpholin-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-thiopyran-4-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1,1-Dioxo-hexahydro-1 λ^6 -thiopyran-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 5 N-Benzyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methyl-10 benzyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-nitro-benzyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(4-fluoro-benzyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-Cyclopentylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohex-2-enylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclopropylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-20 phenyl)-[1,3,5]triazine-2,4,6-triamine,
- '3-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol,
- N-(3-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-benzyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(3-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 2-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-30 phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclopentanol,
- N-(2-Amino-cyclopentylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(4-methyl-cyclohexylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-(2-methyl-cyclohexylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- 5 2-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
- 3-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
- 4-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-cyclohexanol,
- 10 N-(4-Amino-cyclohexylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(3-Amino-cyclohexylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-Cycloheptylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Bicyclo[2.2.1]hept-2-yl-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxyphenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Bicyclo[2.2.2]oct-2-yl-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 20 [1,3,5]triazine-2,4,6-triamine,
- N-(1-Aza-bicyclo[2.2.2]oct-3-yl)-N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- N-(1-Cyclohexyl-1-methyl-ethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 25 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-thiophen-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-furan-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-
- 30 [1,3,5]triazine-2,4,6-triamine,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-
- [1,3,5]triazine-2,4,6-triamine,

- N-Cyclohexylmethyl-N'-(3-fluoro-4-ethoxy-phenyl)-N''-(1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(1-methyl-1H-pyrrol-2-ylmethyl)-[1,3,5]triazine-2,4,6-triamine,
 5 N-Cyclohexylmethyl-N'-(2,3-dihydro-1H-indol-2-ylmethyl)-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cyclohexylmethyl-N'-(2-dimethylamino-ethyl)-N''-(3-fluoro-4-methoxyphenyl)-[1,3,5]triazine-2,4,6-triamine,
 Pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
 10 Pyrrolidine-2-carboxylic acid 4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
 1-Methyl-pyrrolidine-2-carboxylic acid [4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-amide,
 15 2-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-hexahydro-pyrrolo[1,2-c]imidazol-1-one,
 1-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-pyrrolidine-2,5-dione,
 1-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-imidazolidine-2,4-dione,
 20 3-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-yl]-thiazolidine-2,5-dione,
 2-[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-1-methyl-pyrrolidinium; chloride,
 25 1-Acetyl-2-[[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-furan-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 30 N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-thiophen-2-ylmethyl-[1,3,5]triazine-2,4,6-triamine,


- N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-oxazol-5-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-imidazol-1-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
- 5 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-imidazol-1-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-N''-pyrimidin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 N-(2-Amino-pyrimidin-4-ylmethyl)-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-
- 10 fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
 5-{{4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
- 15 5-{{4-(3-Chloro-4-methoxy-phenylamino)-6-(cyclohexylmethyl-amino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-hydroxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 5-{{4-(3-Chloro-4-hydroxy-phenylamino)-6-(cyclohexylmethyl-amino)-[1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
- 20 [1,3,5]triazin-2-ylamino]-methyl}-thiazolidine-2,4-dione,
 Sodium; 4-{4-(cyclohexylmethyl-amino)-6-[(2,4-dioxo-thiazolidin-5-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenolate,
 2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; chloride,
- 25 2-{{4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium; bromide,
 5-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoic acid,
 Sodium; 5-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-methoxy-benzoate ,
- 30

- 3-(2-{2-[2-(2-Hydroxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propionic acid-4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
- 3-(2-{2-[2-(2-Methoxy-ethoxy)-ethoxy]-ethoxy}-ethoxy)-propionic acid 4-{4-(cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenyl ester,
- 5 N-Cyclohexylmethyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-N''-(3-fluoro-4-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- .OH2-{2-[2-(4-{4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenoxy)-ethoxy]-ethoxy)-ethanol,
- 10 1-(2-{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-3-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-propan-1-one,
- 1-(2-{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-3-{2-[2-(2-hydroxy-ethoxy)-ethoxy]-ethoxy}-propan-1-one,
- 15 2-(2-{2-[2-(2-{[4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidin-1-yl)-ethoxy]-ethoxy}-ethoxy)-ethanol,
- N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-[1-(2-{2-[2-(2-methoxy-ethoxy)-ethoxy]-ethoxy}-ethyl)-pyrrolidin-2-ylmethyl]-[1,3,5]triazine-2,4,6-triamine,
- 20 3-Carboxy-propionate 2-{[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium,
- 3-Carboxy-acrylate 2-{[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-1-ethyl-pyrrolidinium,
- 25 N-Cyclohexylmethyl-6-(2-dimethylamino-ethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
- N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
- 30 N-(1-Ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-6-(oxazol-5-ylmethoxy)-[1,3,5]triazine-2,4-diamine,

- 6-Benzyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-
[1,3,5]triazine-2,4-diamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-1H-pyrrol-2-
ylmethoxy)-[1,3,5]triazine-2,4-diamine,
5 N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(fu ran-2-ylmethoxy-
[1,3,5]triazine-2,4-diamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(thiophen-2-ylmethoxy)-
[1,3,5]triazine-2,4-diamine,
6-(Bicyclo[2.2.2]oct-2-yloxy)-N-cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-
10 [1,3,5]triazine-2,4-diamine,
N-Cyclohexylmethyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-pyrrolidin-2-
yloxy)-[1,3,5]triazine-2,4-diamine,
4-[4-[(1-Ethyl-pyrrolidin-2-yl methyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-yloxymethyl]-cyclohexanol,
15 4-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-yloxymethyl]-phenol,
[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylam ino)-
[1,3,5]triazin-2-ylamino]-(4-hydroxy-phenyl)-acetic acid,
Cyclohexyl-[4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-
20 phenylamino)-[1,3,5]triazin-2-ylamino]-acetic acid,
[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-ylamino]-phenyl-acetic acid,
6-(2-Amino-1-phenyl-ethoxy)-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-
methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
25 2-[4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-
[1,3,5]triazin-2-ylamino]-2-phenyl-ethanol,
N-(1-Benzyl-pyrrolidin-2-ylmethyl)N'-cyclohexylmethyl-N''-(3-fluoro-4-methoxy-
phenyl)-[1,3,5]triazine-2,4,6-triamine,
Amino-phenyl-acetic acid 4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-
30 methoxy-phenylamino)-[1,3,5]triazin-2-yl ester,
Trifluoro-acetate 2-[[4-(cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-
phenylamino)-[1,3,5]triazin-2-ylamino]-methyl]-1-ethyl-pyrrolidinium, or

2-Cyclohexyl-2-[4-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-ethanol.

19. A method of treating unwanted cellular proliferation, an inflammation mediated disease, or a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula Ic or IIc:



- 10 or an ene, a diene, a triene, or an yne derivative thereof; a saturated derivative thereof; a stereoisomer thereof; or a salt thereof;

wherein:

- R^1 is in each occurrence independently selected from H; linear or branched alkyl with up to 10 carbon atoms; cycloalkyl with up to 10 carbon atoms; cycloalkenyl with up to 10 carbon atoms; benzyl; O_2CR , $C(O)R$, or $C(O)OR$ wherein R is H, or linear or branched alkyl with up to 10 carbon atoms; CH_2NH_2 ; CH_2OH ; or aryl;

G is NR^1 or O;

J is CH or N;


- 20 n is an integer from 0 to 3;

X^1 is selected from $o-R^1$, $m-R^1$, $m-OR^1$, $m-OCF_3$, $o-F$, $o-Cl$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CF_3$, $m-CN$, $m-NO_2$, $m-C(O)OR^1$, $C(O)OLi$, $C(O)ONa$, $m-SO_2R^1$, $m-NC(O)R^1$, or $m-SO_2OR^1$; or X^1 and X^2 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;

X^2 is selected from $o-R^1$; $p-R^1$; $p-OR^1$; $p-OCF_3$; $o-F$; $o-Cl$; $o-Br$; $o-I$; $o-CF_3$; $m-F$; $m-Cl$; $m-Br$; $m-I$; $m-CN$; $m-CF_3$; $m-OCF_3$; $p-SR^1$; $p-NR^1_2$; $p-F$; $p-Cl$; $p-Br$; $p-CF_3$; $p-OCF_3$; $p-C(O)OR^1$; $p-OC(O)R^1$; $p-CN$; $p-NO_2$; $p-NC(O)R^1$; $o-C\equiv CC(CH_3)_2OR^1$; $p-C\equiv CC(CH_3)_2OR^1$; $p-OM$, $p-SM$, $m-C(O)OM$, or $p-C(O)OM$ wherein M is selected from Li , Na , K , Mg , or Ca ; $p-\dot{O}(CH_2)_mZR^1$ wherein m is an integer from 0 to 3 and Z is selected from O , S , $-S(O)-$, $-SO_2-$, $-OP(O)(OH)O-$, $-P(O)(OH)O-$, or $-C(O)-$; $p-OC(O)(CH_2CH_2O)_rR^1$ or $p-O(CH_2CH_2O)_rR^1$ wherein r is from 0 to 6;


X³ is *o*-R¹, *m*-R¹, *p*-R¹, *o*-OR¹, *m*-OR¹, or *p*-OR¹; or X² and X³ together is
10 a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


AY and DY are independently selected from OR¹; F; Cl; Br; I;





15 A and D are independently selected from O or NR¹; and


Y is in each occurrence independently selected from R^1 ; $(CHR^1)_q R^1$;






5 n is 1 or 2 and Q is selected from CH or N; or ; wherein q is an integer from 0 to 3 and E is in each occurrence independently selected from NR¹, O, S, C=O, or C=NR¹;







wherein q is an integer from 0 to 3, L is selected from CH or N, and U is selected from O, NR^1 , S, SO_2 , CHR^1 , or $CHOH$;




wherein p is an integer from 0 to 3 and X^1 , X^2 , and X^3 are selected as defined above;




5 wherein q is an integer from 0 to 3 and X^4 is selected from H, $2-R^1$, $3-R^1$, $2-OH$, $3-OH$, $2-NH_2$, or $3-NH_2$;



wherein q is an integer from 0 to 3 and X^5 is selected from $2-R^1$, $3-R^1$, $4-R^1$, $2-OH$, $3-OH$, $4-OH$, $2-NH_2$, $3-NH_2$, or $4-NH_2$;








10 wherein q is an integer from 0 to 3 and X^6 is selected from H, $2-R^1$, $3-R^1$, $4-R^1$, $2-OH$, $3-OH$, $4-OH$, $2-NH_2$, $3-NH_2$, or $4-NH_2$;



wherein T is selected from CO_2H , CH_2OH , or $(CHR^1)_xNR^1_2$ wherein x is an integer from 1 to 6;
 CH_2R^1 ; CH_2CF_3 ; $C(O)CHR^1NH_2$; CHR^1CH_2OH ; $(CHR^1)_xNR^1_2$ wherein x is an integer from 1 to 6;


$C(O)Z^1$ or $(CHR^1)_zZ^1$ wherein z is an integer from 0 to 6 and Z^1 is

selected from NR^1_2 ; ; $H_2C-(CH_2)_x$, wherein x is an integer from 3 to

5; ; ;  or 
wherein t is from 0 to 6.

5

20. A microarray comprising:
a gene expression profile generated from a cell type treated with a compound of the formula Ic or IIc:



- 5 or an ene, a diene, a triene, or an yne derivative thereof; a saturated derivative thereof; a stereoisomer thereof; or a salt thereof;

wherein:

- R^1 is in each occurrence independently selected from H; linear or branched alkyl with up to 10 carbon atoms; cycloalkyl with up to 10 carbon atoms; cycloalkenyl with up to 10 carbon atoms; benzyl; O_2CR , $C(O)R$, or $C(O)OR$ wherein R is H, or linear or branched alkyl with up to 10 carbon atoms; CH_2NH_2 ; CH_2OH ; or aryl;

G is NR^1 or O;

J is CH or N;

- 15 n is an integer from 0 to 3;



X^1 is selected from $o-R^1$, $m-R^1$, $m-OR^1$, $m-OCF_3$, $o-F$, $o-Cl$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CF_3$, $m-CN$, $m-NO_2$, $m-C(O)OR^1$, $C(O)OLi$, $C(O)ONa$, $m-SO_2R^1$, $m-NC(O)R^1$, or $m-SO_2OR^1$; or X^1 and X^2 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;

- 20 X^2 is selected from $o-R^1$, $p-R^1$, $p-OR^1$, $p-OCF_3$, $o-F$, $o-Cl$, $o-Br$, $o-I$, $o-CF_3$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CN$, $m-CF_3$, $m-OCF_3$, $p-SR^1$, $p-NR^1$, $p-F$, $p-Cl$, $p-Br$, $p-CF_3$, $p-OCF_3$, $p-C(O)OR^1$, $p-OC(O)R^1$, $p-CN$, $p-NO_2$, $p-NC(O)R^1$, $o-C\equiv CC(CH_3)_2OR^1$, $p-C\equiv CC(CH_3)_2OR^1$, $p-OM$, $p-SM$, $m-C(O)OM$, or $p-C(O)OM$ wherein M is selected from Li, Na, K, Mg, or Ca; $p-O(CH_2)_mZR^1$ wherein m is an

integer from 0 to 3 and Z is selected from O, S, -S(O)-, -SO₂-, -OP(O)(OH)O-, -P(O)(OH)O-, or -C(O)-; *p*-OC(O)(CH₂CH₂O)_rR¹ or *p*-O(CH₂CH₂O)_rR¹ wherein r is from 0 to 6;


X³ is *o*-R¹, *m*-R¹, *p*-R¹, *o*-OR¹, *m*-OR¹, or *p*-OR¹; or X² and X³ together is
5 a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


AY and DY are independently selected from OR¹; F; Cl; Br; I;




10 A and D are independently selected from O or NR¹; and

Y is in each occurrence independently selected from R^1 ; $(CHR^1)_o R^1$;






wherein


n is 1 or 2 and Q is selected from CH or N; or ; wherein q is an integer from 0 to 3 and E is in each occurrence independently selected from NR¹, O, S, C=O, or C=NR¹;

5




wherein W⁻ is selected from Cl⁻, Br⁻, I⁻,

[O₂CCH₂CH₂CO₂R¹], [O₂CCHCHCO₂R¹], or [O₂CCF₃];




wherein q is an integer from 0 to 3, L is selected from CH or N, and U is selected from O, NR¹, S, SO₂, CHR¹, or CHOH;




10


wherein p is an integer from 0 to 3 and X¹, X², and X³ are selected as defined above;




wherein q is an integer from 0 to 3 and X^4 is selected from H, 2- R^1 , 3- R^1 , 2-OH, 3-OH, 2-NH₂, or 3-NH₂;



wherein q is an integer from 0 to 3 and X^5 is selected from 2- R^1 , 3- R^1 , 4- R^1 , 2-OH, 3-OH, 4-OH, 2-NH₂, 3-NH₂, or 4-NH₂;




5 , wherein q is an integer from 0 to 3 and X^6 is selected from H, 2- R^1 , 3- R^1 , 4- R^1 , 2-OH, 3-OH, 4-OH, 2-NH₂, 3-NH₂, or 4-NH₂;







or wherein T is selected from CO₂H, CH₂OH, or (CHR¹)_xNR¹₂ wherein x is an integer from 1 to 6;

10 is an integer from 1 to 6;
CH₂R¹; CH₂CF₃; C(O)CHR¹NH₂; CHR¹CH₂OH; (CHR¹)_xNR¹₂ wherein x

C(O)Z¹ or (CHR¹)_zZ¹ wherein z is an integer from 0 to 6 and Z¹ is


selected from NR¹₂; ; H₂G-(CH₂)_x, wherein x is an integer from 3 to

5; ; ;  or  wherein t is from 0 to 6.

15

21. An expression profile database comprising:
a patient identifying reference; and

an expression profile for the patient generated by administering to the patient a compound of the formula Ic or IIc:



or an ene, a diene, a triene, or an yne derivative thereof; a saturated derivative thereof; a stereoisomer thereof; or a salt thereof;
 5 wherein:

R^1 is in each occurrence independently selected from H; linear or branched alkyl with up to 10 carbon atoms; cycloalkyl with up to 10 carbon atoms; cycloalkenyl with up to 10 carbon atoms; benzyl; O_2CR , $C(O)R$, or $C(O)OR$ wherein R is H, or linear or branched alkyl with up to 10 carbon atoms;
 10 CH_2NH_2 ; CH_2OH ; or aryl;

G is NR^1 or O;

J is CH or N;

n is an integer from 0 to 3;


15 X^1 is selected from $o-R^1$, $m-R^1$, $m-OR^1$, $m-OCF_3$, $o-F$, $o-Cl$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CF_3$, $m-CN$, $m-NO_2$, $m-C(O)OR^1$, $C(O)OLi$, $C(O)ONa$, $m-SO_2R^1$, $m-NC(O)R^1$, or $m-SO_2OR^1$; or X^1 and X^2 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


20 X^2 is selected from $o-R^1$, $p-R^1$, $p-OR^1$, $p-OCF_3$, $o-F$, $o-Cl$, $o-Br$, $o-I$, $o-CF_3$, $m-F$, $m-Cl$, $m-Br$, $m-I$, $m-CN$, $m-CF_3$, $m-OCF_3$, $p-SR^1$, $p-NR^1_2$, $p-F$, $p-Cl$, $p-Br$, $p-CF_3$, $p-OCF_3$, $p-C(O)OR^1$, $p-OC(O)R^1$, $p-CN$, $p-NO_2$, $p-NC(O)R^1$, $o-C\equiv CC(CH_3)_2OR^1$, $p-C\equiv CC(CH_3)_2OR^1$, $p-OM$, $p-SM$, $m-C(O)OM$, or $p-C(O)OM$ wherein M is selected from Li, Na, K, Mg, or Ca; $p-O(CH_2)_mZR^1$ wherein m is an integer from 0 to 3 and Z is selected from O, S, $-S(O)-$, $-SO_2-$, $-OP(O)(OH)O-$, -

$P(O)(OH)O-$, or $-C(O)-$; $p-OC(O)(CH_2CH_2O)_rR^1$ or $p-O(CH_2CH_2O)_rR^1$ wherein r is from 0 to 6;

X^3 is $o-R^1$, $m-R^1$, $p-R^1$, $o-OR^1$, $m-OR^1$, or $p-OR^1$; or X^2 and X^3 together is a fused benzene, pyridine, dioxane, or tetrahydropyran ring;


5 AY and DY are independently selected from OR^1 ; F; Cl; Br; I;




$H_2G-(CH_2)_x$ wherein x is an integer from 3 to 5;  wherein G is selected from NH, CH_2 or SH; or




A and D are independently selected from O or NR^1 ; and








10 Y is in each occurrence independently selected from R^1 ; $(CHR^1)_qR^1$;






n is 1 or 2 and Q is selected from CH or N; or ; wherein q is an integer from 0 to 3 and E is in each occurrence independently selected from NR^1 , O, S, C=O, or C=NR¹;






15

22. A compound of the formula Id:





(Id), wherein

G is selected from NH or O;


Z is selected from H or , wherein X¹ is selected from F or Cl, and X² is selected from OCH₃, NH₂, OC(O)CH₃, or OH;

5 A is selected from NR¹ or O;

B is selected from NR¹ or O; and

Y² is selected from  wherein q is 0 or 1, E is selected from O or NR² wherein R² is selected from R¹, OR¹, C(O)R¹, C(O)OR¹, C(O)NH₂, or CH₂NH₂;

10

or  wherein R³ is selected from R¹, C(O)R¹, C(O)OR¹, or C(O)NH₂; and

wherein R¹ is in each occurrence independently selected from H, or a linear or branched alkyl with up to 10 carbon atoms.

15

23. A compound as claimed in Claim 1, wherein the compound is 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,

- N-Cycloheptyl-6-(3-fluoro-4-methoxy-phenoxy)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
 N-(3-Chloro-4-methoxy-phenyl)-6-cycloheptyloxy-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
 5 6-Cycloheptyloxy-N-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
 10 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
 15 (3-Chloro-4-methoxy-phenyl)-[4-cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-amine,
 [4-Cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-(3-fluoro-4-methoxy-phenyl)-amine,
 N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine,
 20 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 6-Cycloheptyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
 25 N-(3-Chloro-4-methoxy-phenyl)-6-cycloheptyloxy-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
 N-Cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
 30 [4-Cycloheptyloxy-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]methyl-(1-methyl-piperidin-4-yl)-diamine,

- [4-Cycloheptyloxy-6-(piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-(3-fluoro-4-methoxy-phenyl)-amine,
 Cycloheptyl-[4-(3-fluoro-4-methoxyphenoxy)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-amine,
 5 2-Cycloheptyloxy-4-(3-fluoro-4-methoxy-phenoxy)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine,
 2-(3-Chloro-4-methoxy-phenoxy)-4-cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine,
 [4-Cycloheptyloxy-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]-(1-ethyl-pyrrolidin-2-ylmethyl)-amine,
 10 [4-Cycloheptyloxy-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-[1,3,5]triazin-2-yl]-(3-fluoro-4-methoxy-phenyl)-amine,
 Cycloheptyl-[4-(1-ethyl-pyrrolidin-2-ylmethoxy)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]-amine,
 15 2-Cycloheptyloxy-4-(1-ethyl-pyrrolidin-2-ylmethoxy)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine,
 N-(4-Amino-3-chloro-phenyl)-N'-cycloheptyl-N''-methyl-N'''-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-ethanone,
 20 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid,
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid amide,
 25 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-ol,
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid,
 2-{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid amide,
 30 Acetic acid 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenyl ester,

- N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 5 4-[4-Cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol,
 2-Chloro-4-[4-cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-phenol,
 N-(4-Aminomethyl-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-
 10 [1,3,5]triazine-2,4,6-triamine,
 N-(4-Aminomethyl-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine,
 4-[4-(4-Aminomethyl-cyclohexylamino-6-cycloheptylamino-[1,3,5]triazin-2-ylamino)-2-fluoro-phenol,
 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-piperidin-4-ylmethyl[1,3,5]triazine-2,4,6-triamine,
 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-piperidin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 4-{4-Cycloheptylamino-6-[(piperidin-4-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol,
 20 N-Cycloheptyl-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cycloheptyl-N'-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-
 25 [1,3,5]triazine-2,4,6-triamine,
 4-(3-Fluoro-4-methoxy-phenylamino)-6-(methyl-(1-methyl-piperidin-4-yl)-amino)-[1,3,5]triazin-2-ol,
 4-(3-Chloro-4-methoxy-phenylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ol,
 30 4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ol,
 4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ol,
 4-Cycloheptyl amino-6-(methyl-(1-methyl-piperidin-4-yl)-amino)-[1,3,5]triazin-2-ol,

N-(4-Amino-cyclohexylmethyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine,

N-(4-Amino-cyclohexylmethyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,

5 4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ol,
4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ol,


4-(3-Chloro-4-methoxy-phenylamino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)amino]-[1,3,5]triazin-2-ol,

10 4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ol, or

4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ol.

15

24. A composition comprising a compound of the formula Id:



G is selected from NH or O;

Z is selected from H or , wherein X¹ is selected from F or Cl, and X² is selected from OCH₃, NH₂, OC(O)CH₃, or OH;

A is selected from NR¹ or O;

Y¹ is selected from R¹, , or ;
B is selected from NR¹ or O; and

Y² is selected from wherein q is 0 or 1, E is selected from O or NR² wherein R² is selected from R¹, OR¹, C(O)R¹, C(O)OR¹, C(O)NH₂, or CH₂NH₂;

or wherein R³ is selected from R¹, C(O)R¹, C(O)OR¹, or C(O)NH₂; and

wherein R¹ is in each occurrence independently selected from H, or a linear or branched alkyl with up to 10 carbon atoms.

25. The composition as claimed in Claim 3, wherein the compound is selected from:

- 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
- 5 N-Cycloheptyl-6-(3-fluoro-4-methoxy-phenoxy)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
- N-(3-Chloro-4-methoxy-phenyl)-6-cycloheptyloxy-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
- 6-Cycloheptyloxy-N-(3-fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4-diamine,
- 10 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
- N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
- 15 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-6-(piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
- N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(piperidin-4-yloxy)-[1,3,5]triazine-2,4-diamine,
- (3-Chloro-4-methoxy-phenyl)-[4-cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2-yl]-amine,
- 20 [4-Cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine-2-yl]-N-(3-fluoro-4-methoxy-phenyl)-amine,
- N-Cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine-2,4-diamine,
- 25 6-(3-Chloro-4-methoxy-phenoxy)-N-cycloheptyl-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
- 6-Cycloheptyloxy-N-(1-ethyl-pyrrolidin-2-ylmethyl)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,
- N-(3-Chloro-4-methoxy-phenyl)-6-cycloheptyloxy-N'-(1-ethyl-pyrrolidin-2-ylmethyl)-[1,3,5]triazine-2,4-diamine,
- 30 N-Cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-N'-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4-diamine,


- N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-[1,3,5]triazine-2,4-diamine,
 [4-Cycloheptyloxy-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]methyl-(1-methyl-piperidin-4-yl)-diamine,
- 5 [4-Cycloheptyloxy-6-(piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-(3-fluoro-4-methoxy-phenyl)-amine,
 Cycloheptyl-[4-(3-fluoro-4-methoxyphenoxy)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazin-2-yl]-amine,
 2-Cycloheptyloxy-4-(3-fluoro-4-methoxy-phenoxy)-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine,
- 10 2-(3-Chloro-4-methoxy-phenoxy)-4-cycloheptyloxy-6-(1-methyl-piperidin-4-yloxy)-[1,3,5]triazine,
 [4-Cycloheptyloxy-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]-(1-ethyl-pyrrolidin-2-ylmethyl)-amine,
- 15 [4-Cycloheptyloxy-6-(1-ethyl-pyrrolidin-2-ylmethoxy)-[1,3,5]triazin-2-yl]-(3-fluoro-4-methoxy-phenyl)-amine,
 Cycloheptyl-[4-(1-ethyl-pyrrolidin-2-ylmethoxy)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazin-2-yl]-amine,
 2-Cycloheptyloxy-4-(1-ethyl-pyrrolidin-2-ylmethoxy)-6-(3-fluoro-4-methoxy-phenoxy)-[1,3,5]triazine,
- 20 N-(4-Amino-3-chloro-phenyl)-N'-cycloheptyl-N"-methyl-N"-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 1-{4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-yl}-ethanone,
- 25 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid,
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidine-1-carboxylic acid amide,
 4-[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-piperidin-1-ol,
- 30 2{[4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino]-methyl}-pyrrolidine-1-carboxylic acid,

- 2-{{4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ylamino}-methyl}-pyrrolidine-1-carboxylic acid amide,
 Acetic acid 2-chloro-4-{4-cycloheptylamino-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ylamino)-phenyl ester,
- 5 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-methyl-N''-(tetrahydro-pyran-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 4-[4-Cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-2-fluoro-phenol,
- 10 2-Chloro-4-[4-cycloheptylamino-6-(piperidin-4-ylamino)-[1,3,5]triazin-2-ylamino]-phenol,
 N-(4-Aminomethyl-cyclohexyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-[1,3,5]triazine-2,4,6-triamine,
- 15 N-(4-Aminomethyl-cyclohexyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-[1,3,5]triazine-2,4,6-triamine,
 4-[4-(4-Aminomethyl-cyclohexylamino-6-cycloheptylamino-[1,3,5]triazin-2-ylamino)-2-fluoro-phenol,
 N-Cycloheptyl-N'-(3-fluoro-4-methoxy-phenyl)-N''-piperidin-4-ylmethyl[1,3,5]triazine-2,4,6-triamine,
- 20 N-(3-Chloro-4-methoxy-phenyl)-N'-cycloheptyl-N''-piperidin-4-ylmethyl-[1,3,5]triazine-2,4,6-triamine,
 4-{4-Cycloheptylamino-6-[(piperidin-4-ylmethyl)-amino]-[1,3,5]triazin-2-ylamino}-2-fluoro-phenol,
- 25 N-Cycloheptyl-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine,
 N-Cycloheptyl-N'-piperidin-4-yl-[1,3,5]triazine-2,4,6-triamine,
 N-(3-Fluoro-4-methoxy-phenyl)-N'-methyl-N'-(1-methyl-piperidin-4-yl)-[1,3,5]triazine-2,4,6-triamine,
- 30 4-(3-Fluoro-4-methoxy-phenylamino)-6-(methyl-(1-methyl-piperidin-4-yl)-amino)-[1,3,5]triazin-2-ol,


- 4-(3-Chloro-4-methoxy-phenylamino)-6-[methyl-(1-methyl-piperidin-4-yl)-amino]-[1,3,5]triazin-2-ol,
 4-(3-Chloro-4-methoxy-phenylamino)-6-cycloheptylamino-[1,3,5]triazin-2-ol,
 4-Cycloheptylamino-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-2-ol,
 5 4-Cycloheptyl amino-6-(methyl-(1-methyl-piperidin-4-yl)-amino)-[1,3,5]triazin-2-ol,
 N-(4-Amino-cyclohexylmethyl)-N'-(3-chloro-4-methoxy-phenyl)-N''-cycloheptyl-
 [1,3,5]triazine-2,4,6-triamine,
 N-(4-Amino-cyclohexylmethyl)-N'-cycloheptyl-N''-(3-fluoro-4-methoxy-phenyl)-
 [1,3,5]triazine-2,4,6-triamine,
 10 4-Cycloheptylamino-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[1,3,5]triazin-2-ol,
 4-[(1-Ethyl-pyrrolidin-2-ylmethyl)-amino]-6-(3-fluoro-4-methoxy-phenylamino)-
 [1,3,5]triazin-2-ol,
 4-(3-Chloro-4-methoxy-phenylamino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)amino]-
 (1,3,5]triazin-2-ol,
 15 4-(Cyclohexylmethyl-amino)-6-(3-fluoro-4-methoxy-phenylamino)-[1,3,5]triazin-
 2-ol, or
 4-(Cyclohexylmethyl-amino)-6-[(1-ethyl-pyrrolidin-2-ylmethyl)-amino]-[
 1,3,5]triazin-2-ol.
20. 26. The composition as claimed in Claims 3, 10, 17, or 24, further comprising:
 a pharmaceutically acceptable carrier;
 optionally, a pharmaceutically acceptable auxiliary;
 optionally, a pharmaceutically acceptable preservative; and
 25 optionally, a pharmaceutically acceptable excipient.
27. The composition as claimed in Claims 3, 10, 17, or 24, further comprising
 an agent selected from a chemotherapeutic agent, an immunosuppressive agent, a
 cytokine, a cytotoxic agent, a nucleolytic compound, a radioactive isotope, a
 30 receptor, a pro-drug activating enzyme, an anti-inflammatory agent, an
 antirheumatic agent, a cardiovascular agent, a toxin, or any combination thereof.

28. The composition as claimed in Claims 3, 10, 17, or 24, wherein the composition is in the form of a tablet, a capsule, a cachet, a powder, a granule, a solution, a suspension, an emulsion, a bolus, a lozenge, a suppository, a pessary, a tamport, a cream, a gel, a paste, a foam, a spray, an aerosol, a microcapsule, a liposome, a transdermal patch, a pastille, a paste, or a mouthwash.



29. A method of treating unwanted cellular proliferation, an inflammation mediated disease, or a hyperproliferative disease, or modulating a glycosidase enzyme in a human or an animal comprising administering to the human or animal a therapeutically effective amount of a composition comprising a compound of the formula Id:




G is selected from NH or O;


Z is selected from H or , wherein X¹ is selected from F or Cl, and X² is selected from OCH₃, NH₂, OC(O)CH₃, or OH;

A is selected from NR¹ or O;

Y¹ is selected from R¹, , or ;

B is selected from NR¹ or O; and

Y² is selected from  wherein q is 0 or 1, E is selected from O or NR² wherein R² is selected from R¹, OR¹, C(O)R¹, C(O)OR¹, C(O)NH₂, or CH₂NH₂;



wherein R¹ is in each occurrence independently selected from H, or a linear or branched alkyl with up to 10 carbon atoms.

5

30. A medical device comprising:
 a drug delivering or eluting member; and
 a composition in accordance with Claims 3, 10, 17, or 24 disposed on or within the drug delivering or eluting member.

10


31. The medical device as claimed in Claim 30, wherein the drug delivering or eluting member is a stent.

32. The medical device as claimed in Claim 30, wherein the drug delivering or eluting member is selected from a shunt, a colostomy bag attachment device, an ear drainage tube, a lead for a pace maker, a lead for an implantable defibrillator, a suture, a staple, an anastomosis device, a vertebral disk, a bone pin, a suture anchor, a hemostatic barrier, a clamp, a screw, a plate, a clip, a vascular implant, a tissue adhesive, a tissue sealant, a tissue scaffold, a bone substitute, an intraluminal device, a stent, or a vascular support.

20

33. A microarray comprising:

a gene expression profile generated from a cell type treated with a compound of the formula Id:



5 G is selected from NH or O;

Z is selected from H or , wherein X¹ is selected from F or Cl, and X² is selected from OCH₃, NH₂, OC(O)CH₃, or OH;

A is selected from NR¹ or O;

Y¹ is selected from R¹, , or ;

10 B is selected from NR¹ or O; and


Y² is selected from wherein q is 0 or 1, E is selected from O or NR² wherein R² is selected from R¹, OR¹, C(O)R¹, C(O)OR¹, C(O)NH₂, or CH₂NH₂;

or wherein R³ is selected from R¹, C(O)R¹, C(O)OR¹, or C(O)NH₂; and

wherein R¹ is in each occurrence independently selected from H, or a linear or branched alkyl with up to 10 carbon atoms.

34. The microarray as claimed in Claim 6, 13, 20, or 33, wherein the cell type is selected from the group of cells comprising coronary artery endothelium, umbilical artery endothelium, umbilical vein endothelium, aortic endothelium, dermal microvascular endothelium, pulmonary artery endothelium, myometrium
 5 microvascular endothelium, keratinocyte epithelium, bronchial epithelium, mammary epithelium, prostate epithelium, renal cortical epithelium, renal proximal tubule epithelium, small airway epithelium, renal epithelium, umbilical artery smooth muscle, neonatal dermal fibroblast, pulmonary artery smooth muscle, dermal fibroblast, neural progenitor cells, skeletal muscle, astrocytes,
 10 aortic smooth muscle, mesangial cells, coronary artery smooth muscle, bronchial smooth muscle, uterine smooth muscle, lung fibroblast, osteoblasts, or prostate stromal cells.


35. An expression profile database comprising:
 15 a patient identifying reference; and
 an expression profile for the patient generated by administering to the patient a compound of the formula Id:




G is selected from NH or O;


20 Z is selected from H or , wherein X¹ is selected from F or Cl, and X² is selected from OCH₃, NH₂, OC(O)CH₃, or OH;


A is selected from NR¹ or O;



B is selected from NR¹ or O; and



 Y^2 is selected from  wherein q is 0 or 1, E is selected from O or NR^2 wherein R^2 is selected from R^1 , OR^1 , $C(O)R^1$, $C(O)OR^1$, $C(O)NH_2$, or CH_2NH_2 ;

or  wherein R^3 is selected from R^1 , $C(O)R^1$, $C(O)OR^1$, or $C(O)NH_2$; and

 wherein R^1 is in each occurrence independently selected from H, or a linear or branched alkyl with up to 10 carbon atoms.

36. The method as claimed in Claims 5, 12, 19, or 29, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the disease or modulate the glycosidase enzyme.

37. The method as claimed in Claims 5, 12, 19, or 29, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the unwanted cellular proliferation.

38. The method as claimed in Claims 5, 12, 19, or 29, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to modulate the glycosidase enzyme.

39. The method as claimed in Claims 5, 12, 19, or 29, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or animal to reduce the effects of the inflammation mediated disease.

40. The method as claimed in Claims 5, 12, 19, or 29, wherein the compound is present in the composition in an amount effective upon administration in a daily dose, a daily sub-dose, or any appropriate fraction thereof to the human or
5 animal to reduce the effects of the hyperproliferative disease.